

# Resources

We benefited from reading many books and articles while writing this book. Below are a few books that we found especially helpful. Many others may be available in your area.

- Berer, M. *Women and HIV/AIDS: An International Resource Book*. London: Harper-Collins, Pandora Press, 1993.
- Cohen, F. L., and J. D. Durham, eds. *Women, Children, and HIV/AIDS*. New York: Springer, 1993.
- Cohen, P. T., M. A. Sande, and P. A. Volberding, eds. *The AIDS Knowledge Base*. Waltham, Mass.: Medical Publishing Group, 1990.
- Cotton, D., and D. H. Watts, eds. *The Medical Management of AIDS in Women*. New York: Wiley-Liss, 1997.
- Gordon, G., and T. Klouda. *Talking AIDS: A Guide for Community Work*. London: Macmillan Education, 1990.
- Green, E. C. *AIDS and STDs in Africa: Bridging the Gap Between Traditional Healing and Modern Medicine*. Boulder, Colo.: Westview, 1994.
- Hubley, J. *The AIDS Handbook: A Guide to the Understanding of AIDS and HIV*. London: Macmillan, 1990.
- Mann, J., and D. Tarantola, eds. *AIDS in the World*. 2d ed. New York: Oxford University Press, 1996.
- Peiperl, L. *Manual of HIV/AIDS Therapy*. Fountain Valley, Calif.: Current Clinical Strategies, 1995.
- Pierce, C., and D. VanDeVeer. *AIDS: Ethics and Public Policy*. Belmont, Calif.: Wadsworth, 1988.
- Piot, P., B. M. Kapita, E. N. Ngugi, J. M. Mann, R. Colebunders, and R. Wabitsch. *AIDS in Africa: A Manual for Physicians*. Geneva: World Health Organization, 1992.
- Pohl, M., D. Kay, and D. Toft. *The Caregivers' Journey: When You Love Someone with AIDS*. New York: HarperCollins, 1991.
- Sabatier, R. *Blaming Others: Prejudice, Race, and Worldwide AIDS*. London: Panos Institute, 1988.
- . *The Panos Dossier: AIDS and the Third World*. London: Panos Institute, 1988.
- Sande, M. A., and P. A. Volberding, eds. *The Medical Management of AIDS*. Philadelphia, Pa.: W. B. Saunders, 1997.
- Webman, D. M., and F. J. Alwon, eds. *Taking Action on AIDS: A Resource Book*. Needham, Mass.: Albert E. Trieschman Center, 1990.
- Werner, D. *Where There Is No Doctor*. Berkeley, Calif.: Hesperian Foundation, 2006.

- . *Helping Health Workers Learn*. Berkeley, Calif.: Hesperian Foundation, 2005.
- Williams, A. O. *AIDS: An African Perspective*. Boca Raton, Fla.: CRC Press, 1992.
- World Health Organization. *W.H.O. Model Prescribing Information: Drugs Used in Sexually Transmitted Diseases and HIV Infection*. Geneva: World Health Organization, 1995.
- . *AIDS Prevention Through Health Promotion: Facing Sensitive Issues*. Geneva: World Health Organization, 1991.

## Websites

New information about HIV/AIDS is being developed all the time. Some of the websites we have found most useful are listed here. All of them contain links to other websites as well:

[www.aegis.com](http://www.aegis.com)

AIDS Education Global Information System

One of the largest HIV/AIDS databases in the world, features the “Daily AIDS Briefing,” current news about HIV/AIDS.

[www.aidspace.org/globalfund/](http://www.aidspace.org/globalfund/)

AIDSPAN is a nongovernmental organization that monitors the Global Fund to Fight AIDS, Tuberculosis and Malaria.

[www.cdc.gov](http://www.cdc.gov)

Centers for Disease Control and Prevention (United States government)

Contains articles, information and news about various health issues, including HIV/AIDS, in both English and Spanish.

[www.hivdent.org](http://www.hivdent.org)

A site including treatment information and training resources for those who provide dental and oral health care to people with HIV.

[www.unaids.org](http://www.unaids.org)

Joint United Nations Program on HIV/AIDS

Contains articles, information and news about UN activities as they relate to the HIV/AIDS epidemic, statistics and other useful information.

[www.who.org](http://www.who.org)

World Health Organization

Contains articles, information and news about UN activities on international health issues and policy, in English, French and Spanish.

# Index

- abortion, 70, 84, 231
- acupuncture, 69, 140, 190
- advanced HIV disease. *See* AIDS
- Africa, 21, 32, 52–53, 68–69, 122, 151, 190, 219;  
North, 33, 34; number of people infected with  
HIV in, 20, 28; Sub-Saharan, 33, 34–35; West,  
7. *See also specific countries*
- AIDS: caused by HIV, 5–6, 11–12, 14, 16; deaths  
from, 34–36; definitions of, 26, 83, 151–52;  
false beliefs about, 97–101, 110, 111, 115,  
125–26, 133, 140, 151, 153, 157; number of  
people with, 28, 32, 35; prevalence, 2, 28, 33;  
reported cases of, 33; as “slim disease,” 16–17,  
151; women with, 3, 21, 35. *See also* HIV
- alcohol use, 98, 100, 106, 109, 110, 114, 115, 214,  
230; and HIV risk, 2, 3, 57–58, 82, 107–8, 111
- amphetamines, 58, 59, 147
- anal sex, 44, 45–46, 48, 49–50, 54, 86, 105–6
- anaphylaxis, 192, 193
- anemia, 14, 220
- angular cheilitis, 187
- antibodies: and HIV tests, 15, 63, 70, 74–77, 80,  
81, 84, 89, 94; and immune system, 8, 74; and  
vaccines, 75
- antiretroviral therapy. *See* ART (antiretroviral  
therapy)
- anus/rectum, 45, 46, 54, 131, 197, 214, 223, 225,  
227
- anxiety, 204
- aphthous ulcers, 206–7, 213
- appetite, loss of, 16
- Argentina, 35
- ART (antiretroviral therapy): for adults, 188;  
challenges for providing, 185; for children,  
189; CMV maintenance therapy and, 201;  
defined, 10; expense and availability of, 11, 35,  
185; before giving, 185–86; nerve problems  
from, 204; during pregnancy, 231; for preg-  
nant women and newborns, 188; treatment,  
186, 188–89; WHO stages of HIV infection  
and, 187
- arthritis, 197, 223, 224
- ARV. *See* ART (antiretroviral therapy)
- Asia, 20, 28; Central, 33, 34, 36; East, 33, 34;  
South/Southeast, 33, 34, 36
- Australia, 33, 34, 104
- AZT (zidovudine), 10, 186, 188, 189
- babies, 200; ART for, 188; diarrhea among, 71,  
97–98, 110, 111, 127; and HIV tests, 70, 80, 81;  
mothers spreading HIV to, 6, 18, 20, 22, 28,  
31–32, 34, 37, 57, 59, 69–71, 80, 81, 83–84, 96,  
110, 117, 124, 140, 150, 152, 188; and STDs,  
222, 224, 226, 228, 230
- bacillary angiomatosis (BA), 191, 193
- bacillary peliosis (BP), 191, 193
- bacillus Calmette-Guérin (BCG) vaccine, 216,  
232
- bacteria, 6, 7, 8–9, 74, 223–24, 226–29; role in  
opportunistic infections, 8–9, 190, 191, 193,  
194, 196, 199, 200, 204, 206, 208, 211–12,  
215–17, 221
- Bartonella*, 191
- behavior change, 160; and drug use, 108, 147;  
and HIV tests, 89–90, 91, 93, 94, 95, 96, 116; as  
preventing spread of HIV, 7, 39, 53–55,  
82–83, 145, 151
- bias: and counseling, 100; in HIV statistics, 27,  
29; and language, 106, 110
- blastomycosis, 218
- bleach, 60–61, 67, 72, 142, 143, 147, 148
- blood, 81, 200–201, 202, 219; disorders related to  
HIV, 14, 220–21; and drug reactions, 192, 193;  
exchanged during sex, 44, 45–46, 55; in need-  
les, 58, 66, 68, 148; products from, 62, 64;  
screening of donors, 62–64, 82, 140; transfu-  
sions and HIV, 6, 20, 22, 28, 31, 37, 46–47, 54,  
55, 57, 62–74, 82, 83, 86, 140; used in tests for  
HIV, 62, 63, 74, 75–77, 79, 88, 89, 94
- Botswana, 34
- brainstorming, 133, 135, 136
- Brazil, 3, 35, 53, 104, 112
- breast-feeding and HIV, 6, 18, 69, 70–71, 152,  
200
- breasts, 45, 131
- breath, shortness of, 218, 219
- burnout, 123
- CAGE questions, 57
- Calymmatobacterium granulomatis*, 224
- Cameroon, 159
- Campylobacter jejuni*, 211
- cancer, 16, 25, 114, 122, 195–96, 206, 208; cervi-  
cal, 225; lymphoma, 203–4; squamous cell  
carcinoma, 199, 214
- Candida albicans*, 190, 194, 209–10, 213, 230

- candidiasis, 25, 151–52, 187, 189, 208, 209–10, 230
- carbohydrates, 17
- Caribbean region, 21, 33, 34, 35, 218
- casual contact, 28, 40
- cauda equina syndrome, 205
- CD4 T-cell count, 74–75, 185–86
- cells, 8–10, 220
- cerebrospinal fluid (CSF), 202, 206, 219, 227, 228
- cervix, 66, 222, 225, 226
- chancroid, 49, 50, 54, 221–22
- chest diseases, 215–20
- chicken pox virus, 11, 40, 198, 200
- children, 26, 144, 149, 170, 216; ART for, 189; cotrimoxazole dosage, 184; with HIV from mothers, 6, 18, 20, 22, 29, 31–32, 34, 37, 57, 69–71, 80, 81, 83–84, 96, 98, 110, 117, 124, 140, 150, 184, 188; orphaned by AIDS, 23, 35, 116, 117, 127, 140, 154; signs of AIDS in, 189; with STDs, 224
- China, 2, 30–31, 37
- chlamydia, 49, 50, 54, 222, 231
- Chlamydia, 214, 216, 222, 224, 226
- cholecystitis, 214
- chronic inflammatory demyelinating polyneuropathy (CIDP), 205
- circumcision, 69, 140
- cities, HIV/AIDS in, 22, 27, 34, 35–36
- cleaning: of intravenous (IV) needles, 27, 37, 39, 60–61, 63, 72, 86, 143, 147–48; of medical instruments, 37, 64–68
- Clostridium difficile*, 212
- clotting factors, 62, 64
- coccidioidomycosis, 187, 218, 219
- coconut juice, 56–57, 66, 72
- coma, 15
- community health programs. *See* prevention programs
- condoms, 69, 102; distribution of, 140, 142, 143, 145, 147, 168, 175, 176, 177; as protection against HIV, 39, 45, 46, 47, 48, 54, 55, 100, 129–30, 133–34, 146–47, 150; talking about, 50–52, 105, 129–30; use of, 31, 38, 49–53, 86, 149, 154, 155, 156, 160, 181, 229; for women, 50
- confusion, mental, 15, 202, 204, 205
- conjunctivitis, 200, 201, 222, 224
- contraceptives/family planning, 50, 53, 69, 103, 117, 155, 226
- coping with HIV, 2, 111, 113–22
- cotrimoxazole, 119, 184
- cotton wool spots, 200
- coughing, 13, 85, 189; as symptom of opportunistic infections, 196, 215, 217, 218
- counseling, 97–115, 120, 122, 140, 167, 177; about condom use, 50–52, 105; about sexual behavior, 2, 41, 48, 52, 105–7, 168, 172; after negative/indeterminate HIV tests, 83, 94–96, 116, 143, 148; after positive HIV tests, 82, 83, 90–94, 95–96, 112, 115, 124, 134, 143, 148; and bias, 100; by community members, 141–42; for depression, 204; discordant couples, 48; for drug users, 60, 136, 141; and ethnicity, 103–4, 136; for families, 116, 119, 120, 121, 122; for injectionists, 68–69; and prejudices, 100; prior to clinic visits, 66; prior to HIV tests, 78, 82, 84, 86, 87–90, 96, 143, 148; role plays during, 42–43, 92, 124, 134; of teenagers, 108–10, 118; of those contemplating suicide, 112, 124; training health workers in, 136; for women, 102–3. *See also* prevention programs
- cryptococcal meningitis, 25, 187, 202–3
- cryptococcosis, 218
- Cryptococcus neoformans*, 202–3, 204
- Cryptosporidium*, 187, 213, 214
- cytomegalovirus (CMV), 187, 200–201, 204, 205, 213, 214
- d4T (stavudine), 10, 186, 188
- definitions of AIDS, 26, 83, 151–52
- dementia, 203, 205
- denial, 115–16
- depression, 203, 204
- dermatitis, 187; atopic, 191; seborrheic dermatitis, 198
- diabetes, 68
- diagnosis of AIDS. *See* tests for HIV
- diarrhea, 7; among children, 71, 97–98, 110, 111, 127; as drug reaction, 192, 193; as symptom of HIV infection, 13, 14, 16, 18, 85, 97–98, 112, 119, 187, 189, 213; as symptom of opportunistic infections, 196, 210–11, 221; treatment for, 122, 184, 211
- diet, 16–18, 71, 204, 205
- discordant couples, 48
- discrimination: and HIV, 39, 71, 82, 88, 92, 104, 105, 106–7, 108, 113, 122, 136, 140, 147, 148, 153; and Kaposi's sarcoma, 195; and prejudice, 98–101
- distal symmetric polyneuropathy (DSPN), 205
- DNA, 8–10
- Dominican Republic, 35, 126
- drug reactions, 184, 192–94, 203, 214

- drug use, 102, 109, 111, 115; and blood donation, 62–64; and counseling, 60, 136; education about, 139; and HIV risk, 2, 3, 13–14, 18, 36, 37, 39, 41, 46, 54, 86, 145, 146; prevalence of, 58; and spread of HIV, 20, 22, 24, 31, 33, 34, 35, 36, 57, 58–61, 107–8, 140, 151; talking about, 126, 129, 137; in United States, 27, 59, 139, 143, 148. *See also* drug users
- drug users: as counselors, 141; HIV education for, 143, 144, 147–48; in support groups, 118. *See also* drug use
- dry mouth, 207
- education: about HIV, 2, 27, 29, 31, 36, 85, 104–5, 125–37, 138–61, 168, 172, 175; level of, 101, 104–5. *See also* counseling; prevention programs
- efavirenz (EFV), 10, 188, 189
- Egypt, 102
- ELISA (enzyme-linked immunosorbent assay) tests, 74, 75–77, 78–80
- emtricitabine, 10
- encephalitis, 204
- encephalopathy, 187
- enfuvirtide, 10
- Entamoeba histolytica*, 212
- Enterobacter*, 215
- eosinophilic folliculitis, 194
- epidemiology of HIV, 2, 19–29
- epilepsy, 122
- esophageal diseases, 213–14
- estimates: in epidemiology, 26; of HIV infection, 27
- ethnicity, 103–4, 110, 136
- Europe, 20, 190; Eastern, 33, 34, 36; Western, 33, 34, 35, 219
- eye diseases, 200–202
- families: counseling for, 116, 120, 121, 122; home care by, 118–22; support from, 98, 110
- family planning/contraceptives, 50, 53, 69, 103, 117, 155, 226
- fatigue, 13, 14, 220, 225
- fats and oils, 17
- fever, 13, 14, 15, 192, 225, 227; as symptom of HIV infection, 187, 189; as symptom of opportunistic infections, 190, 196, 202, 204, 205, 208, 213, 214, 215, 217, 218, 220, 221
- films and videos, 156–58
- fingerstick test, 77
- flu, 5, 11, 14, 120, 216
- focus groups, 150–52
- folliculitis, 194
- formula, baby, 71
- France, 29
- French Guiana, 2–3, 73–74
- funding for prevention programs, 162–81; sources of, 169–70; writing proposals, 165, 166–67, 168–80
- fungi, 7–8, 9, 187, 230; role in opportunistic infections, 9, 190, 194, 202, 204, 206, 209, 215, 218–20
- fusion inhibitors, 10
- Gabon, 3, 98
- Gardnerella vaginalis*, 229
- gastrointestinal (GI) system, diseases of, 210–14
- gays, 21, 41, 46, 106, 107, 141, 146
- genes, 8
- Ghana, 2, 56–57, 72
- Giardia lamblia*, 212
- gingivitis, 208–9, 210
- glands, swollen. *See* lymph nodes, swollen
- gloves, 66–67, 68, 72
- gonorrhea, 49, 50, 54, 86, 222, 223–24, 231
- governments and HIV, 31, 36, 48, 51, 99, 120, 122, 139, 147, 163, 169–70, 180, 181
- granuloma inguinale, 224
- Greece, 147
- Guadeloupe, 101
- Guillain-Barré syndrome, 204, 205
- gums, inflamed, 208–9
- HAART (Highly Active Antiretroviral Therapy). *See* ART (antiretroviral therapy)
- Haiti, 35
- headaches, 14, 15, 192, 202, 204, 205, 215, 225
- health care services, 1–3, 23, 104, 106–7, 114; availability of, 140; cost of, 36
- health care workers, 1–2, 3, 122, 142, 164; burnout among, 123; and HIV, 66–68, 72, 81, 98, 113–14, 120, 140, 144, 168; and HIV tests, 80–81, 87–94; and sex, 105–6, 131; stuck by needles, 67, 68, 72, 86; and teenagers, 108–10; training of, 125–37, 150. *See also* counseling helper T cells, 8–10, 220
- Hemophilus ducreyi*, 221
- Hemophilus influenzae*, 215, 216
- hepatitis, 62, 192, 193, 214, 231
- herbs, medicinal, 190
- heroin, 22, 39, 47, 58, 59, 60, 62, 147
- herpes, 11, 49, 54, 206; genital, 223; herpes simplex virus (HSV), 187, 200, 204, 208, 213, 214
- herpes zoster, 86, 187, 198–99, 201

- heterosexual sex, 20, 22, 31, 33, 35, 102–3, 107
- Histoplasma*, 220
- histoplasmosis, 187, 213, 218–19
- HIV: attacks immune system, 7–10, 11–12, 14, 15–16; attacks organs of body, 14, 204; biology of, 2, 5–10, 11–12; as cause of AIDS, 5–6, 11–12, 14, 16; effects on community, 23; false beliefs about, 97–101, 110, 111, 115, 125–26, 133, 140, 151, 153, 157; HIV-1/HIV-2, 2, 7; incubation period of, 15–16; medicines effective against, 10, 12, 35, 69, 183–89; microbicides effective against, 52, 56–57, 65; number of people infected with, 2, 19–20, 31–34, 36–37; and pneumonia, 215; prevalence, 22–23, 24, 26–27, 28, 31–37; stages of infection, 14–16; and STDs, 2, 49, 50, 54, 86, 87, 92, 221, 222, 227, 230; symptoms of initial infection, 2, 13–16, 18; and tuberculosis, 25, 119, 187, 215, 216–17, 231, 232; vaccines recommended, 232; variations in amount present, 43–44, 64, 67, 222. *See also* AIDS; opportunistic infections; spread of HIV; tests for HIV
- home care, 118–22
- homosexual sex, 62, 86, 102–3, 106–7; and spread of HIV, 21, 22, 31, 33, 34, 35, 41, 46
- Honduras, 146
- hotlines, 154–55
- human papillomavirus (HPV), 225
- immune system, 2, 5, 28, 218, 219, 220; and antibodies, 8, 74; attacked by HIV, 7–10, 11–12, 14, 15–16
- impetigo, 195
- incidence, 29
- India, 63, 147, 160
- indigenous peoples, 104
- injectionists, 68–69
- instruments, medical, 37, 57, 64–68, 86
- intestines, 14
- Isospora belli*, 213
- itching, 195
- Ivory Coast, 68–69
- jails and prisons, 146
- Jamaica, 35
- joints, swollen, 227
- Kaposi's sarcoma (KS), 25, 187, 193, 195–96, 201–2, 213, 214
- Kenya, 51, 150, 156
- kissing, 45, 48, 54
- lamivudine (3TC), 10, 186, 188, 189
- language, 3, 104–5, 131, 132–33, 153–54, 156–57, 175–76; and bias, 106, 110
- Latin America, 20, 33, 34, 35, 218
- Legionella*, 216
- leishmaniasis, 196–97
- leukopenia, 220
- leukoplakia, 187, 199, 208, 209
- liver and biliary diseases, 214
- lopinovir/ritonavir, 10
- lung infections, fungal, 218–20
- lymph nodes, swollen, 13–14, 15, 16, 18, 189, 227; as symptom of opportunistic infections, 187, 196, 208; as symptom of STDs, 221, 225
- lymphogranuloma venereum, 225–26
- lymphoma, 25, 187, 203–4, 213
- magazines, 155–56
- malaria, 7, 29, 35, 62, 184, 204, 220
- malnutrition, 16, 71
- marijuana, 58
- masturbation, 45, 54
- measles, 7, 40
- measles-mumps-rubella (MMR) vaccine, 232
- media, mass, 155–60
- men, 130, 131; as counselors, 103; HIV risk for, 45–46; STDs in, 222, 223
- meningitis, 204
- menses, 18, 45, 230
- methadone, 60
- Mexico, 2–3, 35, 69, 85
- microbicides, 52, 65
- Middle East, 33, 34
- molluscum contagiosum, 197
- monogamous relationships, 24, 55, 103, 110, 111, 146; discordant couples, 48; as HIV-sheltered, 47–48
- mononeuritis multiplex, 205
- Moraxella catarrhalis*, 215, 216
- Morocco, 2, 13–14
- mosquitoes, 2, 19, 29, 40, 151, 157, 195
- mouth care, 207
- mouth problems, 206–10
- mumps, 11
- mycobacteriosis, atypical, 187
- Mycobacterium avium-intracellulare* (MAC), 212, 214, 221
- Mycobacterium tuberculosis*, 217, 218, 216, 229
- Mycoplasma*, 216, 229
- Namibia, 35

- nausea, 15, 18, 192, 193, 202, 204, 211, 213
- neck stiffness, 15, 202, 204
- necrotizing stomatitis, 210
- needles, intravenous (IV): cleaning of, 27, 37, 39, 60–61, 63, 72, 86, 143, 147–48; exchange of, 27, 31, 60, 120, 148; health care workers stuck by, 67, 68, 72, 86; and HIV risk, 6, 22, 29, 37, 64–68; sharing of, 46–47, 54, 55, 56–57, 58–61, 72, 94, 99, 107–8, 139, 146, 200
- Neisseria gonorrhoeae*, 214, 223–24, 226
- nerve and brain problems, 202–6
- nervous system, 14, 15
- neutrophils, 220
- nevirapine (NVP), 10, 186, 188, 189
- newspapers, 155–56
- New Zealand, 33, 34
- night sweats, 13, 15, 18, 217
- North America, 20, 31, 33, 34, 35–36. *See also* United States
- nucleic acid test, 74
- nucleus, 8, 9
- numbness, 14, 15
- nutrition, 12, 16–18, 71, 119, 204, 205
- NVP (nevirapine), 10, 186, 188, 189
- opiates, 231–32
- opportunistic infections, 8–9, 25; blood disorders, 220–21; chest diseases, 215–20; diseases of the gut, 210–14; eye diseases, 200–202; liver and biliary diseases, 214; mouth problems, 16, 18, 206–10; nerve and brain problems, 202–6; sinus infections, 215; skin diseases, 191–99; treatments for, 2, 10, 12, 16, 18, 190–221
- oral rehydration therapy (ORT), 212
- oral sex, 45, 48, 49, 54, 86, 146
- oral swab test, 77
- oral ulcerations, 187
- orphans, 23, 35, 116, 117, 127, 140, 154
- outreach programs. *See* prevention programs
- Pacific region, 33, 34
- pain, 231–32; in abdomen, 107, 192, 193, 213, 221, 230; in limbs, 14, 15, 205; medicines effective against, 231–32; in muscles/joints, 15, 225; over sinuses, 215; in pelvis, 226; in stomach, 14
- Pakistan, 2, 5
- pancreatitis, 193
- pancytopenia, 220
- paralysis, 203
- parasites, 7, 9, 74, 196–97, 198, 202, 205, 212–13, 229–30
- PCR (polymerase chain reaction) tests, 74, 201
- pelvic inflammatory disease (PID), 226
- penicillin, 6, 56–57, 72, 193
- penis, 44, 45, 46, 69, 223, 229; and condom use, 49–51; sores on, 54, 192, 223, 224, 225, 227; words for, 131, 153–54
- period, menstrual, 18, 45, 69–70
- periodontitis, 210
- Peru, 3, 168, 172, 173, 180–81
- pharyngitis, 223, 224
- plasma, 62, 64
- Pneumococcus*, 216
- Pneumocystis jiroveci*, 190, 202
- Pneumocystis jiroveci* pneumonia (PCP), 215, 219–20
- pneumonia, 184, 187, 202, 215, 216, 219, 219–20
- polio, 7, 11, 75; vaccines for, 232
- polygamous relationships, 24, 48, 54, 87, 96, 102, 103, 110, 111, 124, 134, 136, 140, 153
- poverty, 101–3, 104, 106–7, 108, 110, 111, 163–64, 170, 172; and discrimination, 98–100
- PPD (purified protein derivative) tests, 216, 217
- pregnancy, 18, 98, 107, 109, 117, 132, 193, 200, 207; and ART, 188; and HIV, 6, 23, 26, 29, 34, 35, 36, 50, 53, 59, 69–70, 81, 83–84, 96, 102–3, 110, 111, 112, 136, 152, 158, 231; and STDs, 222, 226, 228, 229, 230, 231
- prevalence: of AIDS, 2, 21, 28, 33; definition of, 29; of HIV, 2, 22–23, 24, 26–27, 28, 31–37
- prevention programs, 29, 31, 36, 122, 126, 138–61; budgets for, 168–69, 176–78, 179; community resources for, 163–66, 168–69; evaluation of, 175–76; funding for, 162–81; planning of, 166–69; publicity for, 149–61, 177; surveys during, 157; timelines for, 176, 177. *See also* counseling
- progressive multifocal leukoencephaly (PML), 187, 205
- proposals for funding, 165, 166–67, 168–80
- prostitutes. *See* sex workers
- protease inhibitors, 10
- proteins, 17
- prurigo, 187, 195
- Pseudomonas*, 215
- psoriasis, 197
- publicity for HIV prevention programs, 149–61; hotlines, 154–55; use of community theater, 153–54; use of focus groups, 150–52; use of mass media, 155–60
- pyomyositis, 187
- radio, 155, 158–59, 167

rapid serologic test, 74, 75, 77, 79  
 rashes, 14–15, 184, 192, 193–94, 227  
 rate, 29  
 religion, 100–101, 136  
 retina, 200, 202  
 retroviruses, 6, 132, 185  
 reverse transcriptase, 9, 10  
 reverse transcriptase inhibitors, 10  
 risk of HIV: assessment, 2, 3, 31, 37, 43–49, 53–55, 57–58, 86–87, 115, 145, 172; and blood donation, 62–64; for health care workers, 66–68  
 ritonavir, 10  
 role plays, 42–43, 92, 124, 134–35, 136, 137  
 rural areas, HIV/AIDS in, 34, 35–36  
 Russia, 36, 99  
 Rwanda, 1, 19, 28

safer sex, 2, 39, 45, 46–53, 54, 86, 151; promotion of, 31, 146–47; talking about, 91, 96, 103, 111, 134, 136  
 safe sex, 44–45, 48, 54, 84  
 saliva, 44  
*Salmonella*, 187, 211  
 sandflies, 196–97  
 saquinavir, 10  
 scabies, 198  
 scars and tatoos, 69, 140  
 scissors, 64  
 screening of blood donors, 26, 62, 63, 64, 82  
 seizures, 203, 204, 205  
 semen, 44, 45, 46–47, 49, 50, 51, 52, 55, 222  
 serum, 62, 75–77  
 sex: frequency of, 54; and health care workers, 105–6, 131; between men, 21, 22, 31, 33, 34, 35, 41, 46, 62, 86, 106–7, 146; between men and women, 20, 22, 31, 33, 35, 41, 102–3, 107, 109–10, 124, 134, 136; receptive/insertive partners during, 46; safer sex, 2, 31, 39, 45, 46–53, 53, 86, 91, 96, 103, 111, 134, 136, 146–47, 151; safe sex, 44–45, 48, 54, 84; spread of cytomegalovirus during, 200; spread of HIV during, 6, 20, 22, 24, 29, 31, 37, 40, 41–49, 151; talking about, 2, 3, 41, 42–44, 47, 48, 52, 103, 105–7, 126, 129, 131, 134, 136, 137, 168, 172; unsafe sex, 31, 37, 43–44, 45–46, 48, 49, 53, 57–58, 72, 78, 79, 82, 86, 96, 105–6, 107–8, 146; and women, 102–3; between women, 106–7  
 sexually transmitted diseases. *See* STDs  
 sexual orientation, 106–7, 136  
 sex workers, 24, 39, 106, 127, 128, 140, 152, 154; as counselors, 141, 168, 175; HIV education for, 143, 144, 145, 146–47, 162–63, 166–67, 168, 172, 176, 177; HIV prevalence among, 27, 31, 36; HIV risk among, 41, 47, 54, 58, 62, 86, 87, 102, 145; in support groups, 118  
 sharps containers, 67–68, 72  
*Shigella*, 211  
 shingles, 86, 198–99  
 sinus infections, 187, 215  
 skin diseases, 191–99  
 sleeping sickness, 204  
 sneezing, 6, 19, 29, 40  
 social/economic status, 98–100, 101–3, 104  
 sore throat, 14, 208, 227  
 South Africa, 34, 144  
 South Korea, 2, 19  
 spermicides, 52  
 spread of HIV, 2, 6–7, 19–23, 55; and behavior change, 7, 39, 53–55, 82–83, 145, 151; during blood transfusions, 6, 20, 22, 29, 31, 37; and casual contact, 29, 40; from mothers to babies, 6, 18, 20, 22, 29, 31–32, 33, 34, 37, 57, 59, 69–71, 80, 81, 83–84, 96, 110, 117, 140, 150, 152, 188; from needles and instruments, 6, 22, 27, 29, 31, 37, 40, 54, 55, 56–57, 58–61, 64–68, 86; during sex, 6, 20, 22, 24, 29, 31, 37, 40, 41–49, 151  
*Staphylococcus*, 194, 195, 215  
 stavudine (d4T), 10, 186, 188  
 STDs, 221–30; and HIV, 2, 49, 50, 54, 86, 87, 92, 221, 222, 227, 230  
 Stevens-Johnson syndrome, 192, 193  
*Streptococcus*, 194, 195, 215  
 stress, 204  
 suicide, 112, 116, 124, 155  
 sulfa-containing drugs, 193, 219, 220  
 sun sensitivity, 199  
 support groups, 114, 115, 119, 120, 124  
 surveillance, 26  
 swallowing, 18, 203, 205, 209, 210, 213  
 sweats, night, 13, 15, 18  
 Switzerland, 36  
 symptoms: of AIDS, 26, 84, 151–52, 187; of initial HIV infection, 2, 13–16, 18. *See also* tests for HIV  
 syphilis, 49, 50, 54, 86, 204, 227–28, 231

Tanzania, 49, 151  
 tatoos and scars, 69, 140  
 teaching techniques, 126, 128–37  
 teenagers, 108–9, 139, 144, 150, 156, 158, 161  
 television, 155, 158–60



tests for HIV, 2–3, 26, 46, 53, 74–82, 124, 149–50, 156–57, 168; and antibodies, 15, 63, 70, 74–77, 80, 81, 84, 89, 94; and babies, 70, 80, 81; and blood transfusions, 37, 55, 62, 63, 64; CD4 T-cell count, 74–75, 185–86; and change of behavior, 89–90, 91, 93, 94, 95, 96; cost of, 75, 76, 77; ELISA tests, 74, 75–77, 78–80; false negatives in, 79; false positives in, 77, 78, 79; for families, 119; fingerstick test, 77; nucleic acid test, 74; oral swab test, 77; polymerase chain reaction (PCR) tests, 75, 201; and prevention, 148–49; privacy of, 80–82, 88; rapid serologic test, 74, 75, 77, 79; sensitivity of, 77, 78; specificity of, 77, 78, 79; and unsafe sex, 78, 79; Western blot tests, 74, 77, 78, 79, 80

Thailand, 31, 36, 145, 154

theater, community, 153–54, 167, 177, 180–81

3TC (lamivudine), 10, 186, 188, 189

thrombocytopenia, 220

thrush, 25, 151–52, 187, 208, 209–10, 230

tinea, 194

tiredness, 13, 14, 220, 225

*Toxoplasma*, 202, 205

*Toxoplasma* chorioretinitis, 202

toxoplasmosis encephalitis, 184, 187, 202, 203–4, 205–6

traditional healers, 144, 152

training of health care workers, 125–37, 150

transmission of HIV. *See* spread of HIV

trench mouth, 210

*Treponema pallidum*, 227

*Trichomonas vaginalis*, 229–30

trichomoniasis, 229–30

truck drivers, 145, 149, 152

tuberculosis (TB), 1, 6, 7, 18, 86, 204, 221; and HIV/AIDS, 25, 119, 187, 215, 216–18, 231, 232

Uganda, 24, 31, 34, 99, 151, 156

Ukraine, 36

ulcers, aphthous, 206–7, 213

United Kingdom, 146

United Nations AIDS program (UNAIDS), 32, 170

United States, 3, 35, 71, 108–9, 115, 151, 218, 219; deaths from AIDS in, 30–31, 35–36, 37, 110, 146; drug use in, 27, 59, 139, 143, 148; first AIDS case seen in, 20, 29; prevalence in, 33, 34; spread of HIV in, 27, 32, 33, 34, 59, 147

unsafe sex, 31, 37, 48, 53, 72, 86, 105–6, 146; and alcohol use, 2, 3, 57–58, 83, 107–8, 111; and drug use, 107–8; and HIV tests, 78, 79, 96; types of, 43–44, 45–46, 49

Uruguay, 35

Uzbekistan, 2, 38–39, 55

vaccines, 7, 11, 75, 215, 231; recommended for people with HIV, 232

vagina, 66, 69, 131, 184, 209, 223, 225, 227, 229–30; bacterial vaginosis, 229; trichomoniasis, 229–30; vaginal candidiasis, 230; vaginal fluid, 44, 45, 46, 55, 222; vaginal sex, 44, 45–46, 48, 49–50, 53, 54, 86; words for, 153–54

varicella zoster virus (VZV), 198–99, 201

videos and films, 156–58

Vietnam, 3, 125

viruses, 2, 5–10, 11–12, 74, 223, 225; role in opportunistic infections, 132, 190, 197, 198, 200–201, 204, 205, 206, 208, 214, 215

vitamins and minerals, 17, 56–57, 69, 72, 119, 204, 206, 220

vomiting, 15, 18, 107, 192, 230; as symptom of opportunistic infections, 202, 204, 210, 213

war, 24

warts, 225

water, safe for drinking, 119

weakness, 221

weight loss, 16, 18; as symptom of AIDS, 189, 204; as symptom of opportunistic infections, 187, 210, 217, 218, 220, 221

Western blot tests, 74, 77, 78, 79, 80

women, 18, 130–31, 158, 170, 200; with AIDS, 3, 21, 35; and cervical cancer, 225; condoms for, 50; as counselors, 103; with HIV, 1, 3, 6, 26, 29, 31, 32–34, 35, 36, 84, 102–3, 109, 136, 168, 230; HIV risk for, 45–46, 109; HIV spread to babies by, 6, 18, 20, 22, 29, 31–32, 33, 34, 37, 57, 59, 69–71, 80, 81, 83–84, 96, 110, 117, 124, 140, 150, 152, 188; and sex, 102–3; STDs in, 222, 223, 224–26, 228, 230

World Health Organization (WHO), 26, 187

yeast infections, 7–8, 18, 230

Zaire, 155

Zambia, 109, 122



zidovudine (AZT), 10, 186, 188, 189

Zimbabwe, 34, 36, 99, 154

zona, 198


## Other books from Hesperian

**Where There Is No Doctor** by David Werner with Carol Thuman and Jane Maxwell. Perhaps the most widely used health care manual in the world, this book provides vital, easily understood information on how to diagnose, treat, and prevent common diseases. Emphasis is placed on prevention, including cleanliness, diet, and vaccinations, as well as the active role people must take in their own health care. **512 pages**



**Where Women Have No Doctor** by A. August Burns, Ronnie Lovich, Jane Maxwell, and Katharine Shapiro, combines self-help medical information with an understanding of the ways poverty, discrimination, and cultural beliefs limit women's health and access to care. An essential resource on the problems that affect women or that affect women differently from men. **584 pages**

**A Book for Midwives** by Susan Klein, Suellen Miller, and Fiona Thomson, completely revised in 2004, is for midwives, community health workers and anyone concerned about the health of women and babies in pregnancy, birth and beyond. An invaluable tool for training as well as a practical reference, it covers helping pregnant women stay healthy, care during and after birth, handling obstetric complications, breastfeeding, and includes expanded information for women's reproductive health care. **544 pages**



**Helping Health Workers Learn** by David Werner and Bill Bower. An indispensable resource for teaching about health, this heavily illustrated book presents strategies for effective community involvement through participatory education. Includes activities for mothers and children; pointers for using theater, flannel-boards, and other techniques; and ideas for producing low-cost teaching aids. **640 pages**

**Helping Children Who Are Blind** by Sandy Niemann and Namita Jacob, aids parents and other caregivers in helping blind children develop all their capabilities. Topics include: assessing what a child can see, preventing blindness, moving around safely, teaching common activities, and more. **192 pages.**

**Where There Is No Dentist** by Murray Dickson, shows how to care for the teeth and gums, and prevent tooth and gum problems through hygiene, nutrition, and education. Includes detailed, well illustrated information on using dental equipment, placing fillings, taking out teeth, and more. A new chapter includes material on HIV/AIDS and oral health. **237 pages.**

**Helping Children Who Are Deaf** by Sandy Niemann, Devorah Greenstein and Darlena David, helps parents and other caregivers build the communication skills of young children with difficulty hearing. Covers language development and how to foster communication through both sign and oral approaches, as well as assessing hearing loss, exploring causes of deafness, and more. **250 pages.**

**Disabled Village Children** by David Werner, covers most common disabilities of children. It gives suggestions for rehabilitation and explains how to make a variety of low-cost aids. Emphasis is placed on how to help disabled children find a role and be accepted in the community. **672 pages.**